

Stability Test Report

Sample name:	Nail foil adhesive
Style No.:	FL-024A
Buyer :	ZHENGXIANG
Manufacturer :	FENGLING
Supplier :	FENGLING
Country of Origin :	CHINA TAIWAN
Country of Destination :	GERMANY
Testing Period :	Jul 08,2022~Sep 30,2022
TEST METHOD(S):	1) Appearance, Odor, Appearance of package, Usability, Weight monitoring

TEST RESULT(S):

1) Chemical test

Weeks:0 Condition: 40℃

Code	Test item(s)	Test method(s)	Test result(s)	Standard requirement(s) (by the client)	Single determination
1	Appearance	1)	Comply with the standard appearance provided by client	Comply with the standard appearance provided by client	Conform
	Odor		Comply with the standard odor provided by client	Comply with the standard odor provided by client	Conform
	Appearance of package		Comply with the standard appearance of package provided by client	Comply with the standard appearance of package provided by client	Conform
	Usability		Comply with the standard Usability provided by client	Comply with the standard Usability provided by client	Conform

Weeks:3 Condition: 40℃

Code	Test item(s)	Test method(s)	Test result(s)	Standard requirement(s) (by the client)	Single determination
2	Appearance	1)	Comply with the standard appearance provided by client	Comply with the standard appearance provided by client	Conform
	Odor		Comply with the standard odor provided by client	Comply with the standard odor provided by client	Conform
	Appearance of package		Comply with the standard appearance of package provided by client	Comply with the standard appearance of package provided by client	Conform
	Usability		Comply with the standard Usability provided by client	Comply with the standard Usability provided by client	Conform

Weeks:6 Condition: 40℃

Code	Test item(s)	Test method(s)	Test result(s)	Standard requirement(s) (by the client)	Single determination
3	Appearance	1)	Comply with the standard appearance provided by client	Comply with the standard appearance provided by client	Conform
	Odor		Comply with the standard odor provided by client	Comply with the standard odor provided by client	Conform
	Appearance of package		Comply with the standard appearance of package provided by client	Comply with the standard appearance of package provided by client	Conform
	Usability		Comply with the standard Usability provided by client	Comply with the standard Usability provided by client	Conform

Weeks:9 Condition: 40℃

Code	Test item(s)	Test method(s)	Test result(s)	Standard requirement(s) (by the client)	Single determination
4	Appearance	1)	Comply with the standard appearance provided by client	Comply with the standard appearance provided by client	Conform
	Odor		Comply with the standard odor provided by client	Comply with the standard odor provided by client	Conform
	Appearance of package		Comply with the standard appearance of package provided by client	Comply with the standard appearance of package provided by client	Conform
	Usability		Comply with the standard Usability provided by client	Comply with the standard Usability provided by client	Conform

Weeks:12 Condition: 40℃

Code	Test item(s)	Test method(s)	Test result(s)	Standard requirement(s) (by the client)	Single determination
5	Appearance	1)	Comply with the standard appearance provided by client	Comply with the standard appearance provided by client	Conform
	Odor		Comply with the standard odor provided by client	Comply with the standard odor provided by client	Conform
	Appearance of package		Comply with the standard appearance of package provided by client	Comply with the standard appearance of package provided by client	Conform
	Usability		Comply with the standard Usability provided by client	Comply with the standard Usability provided by client	Conform

Code	Test item(s)	Test method(s)	Test result(s)
1	Weight monitoring g	1)	21.5
2	Weight monitoring g		21.5
3	Weight monitoring g		21.5
4	Weight monitoring g		21.5
5	Weight monitoring g		21.5

Remark: Weight monitoring' s result is average of 15 sample.